

FIG. 1






FIG.3





FIG.4



12

(1) 3D OUTPUT MODEL : ☐ SURFACE ☐ WIRE FRAME

(2) LIB PREPARATION MODE : ☐ ON ☐ OFF

☐ COMPONENT NAME  
☐ COMPONENT SPECIFICATION

(3) PRINTED CIRCUIT BOARD CONVERSION : ☐ UNIT-TYPE ☐ DIVISION-TYPE

☐ L1/Ln ☐ COMPONENT NAME  
☐ PRINTED BOARD

(4) UNARRANGED COMPONENT IMPORT : ☐ ON ☐ OFF

(5) COMPONENT SHAPE DETAILING MODE : ☐ ON ☐ OFF

☐ MECHANICAL COMPONENT  
☐ COMPONENT DESIGNATION

(6) MANUFACTURABILITY CONSIDERATION : ☐ ON ☐ OFF

SMD:0.3mm IMD:0.5mm


(7) PSEUDO COMPONENT CONVERSION : ☐ ON ☐ OFF

COMPONENT HEIGHT H=0.1mm

(8) LINEAR APPROXIMATION OF CIRCLE/ARC : ☐ ON ☐ OFF

APPROXIMATION NUMBER:3

FIG.6



0994640334

[illegible]